

Refine Search

Search Results -

Term	Documents
ADC	14107
ADCS	2571
ANALOG/DIGITAL	5709
ANALOG/DIGITALS	0
"ANALOG TO DIGITAL ADJ CONVERTER\$1"	0
TOUCH	87668
TOUCHES	16151
FIRST	1188648
FIRSTS	249
CONSECTIVE	13
CONSECTIVES	0
(((ADC OR ANALOG/DIGITAL ADJ CONVERTER\$1 OR "ANALOG TO DIGITAL ADJ CONVERTER\$1") AND TOUCH ADJ (SCREENS\$1 OR PANEL\$1 OR PAD\$1) AND FIRST ADJ COORDINATES\$1 AND CONSECTIVE ADJ COORDINATE AND COORDINATE ADJ POSITION\$6 AND NOISE ADJ (REDUCITION OR ELIMINAT\$6) AND "NO TOUCH" AND (DIGITAL ADJ SIGNAL\$1 OR BIT ADJ LEVEL\$1)).CLM.).PGPB.	0

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L6

[Refine Search](#)

[Recall Text](#)

[Clear](#)

[Interrupt](#)

Interference Search

Search History

DATE: Wednesday, January 24, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L6</u> ((ADC or analog/digital adj converter\$1 or "analog to digital adj converter\$1") and touch adj (screen\$1 or panel\$1 or pad\$1) and first adj coordinate\$1 and consecutive adj coordinate and coordinate adj position\$6 and noise adj (reduction or eliminat\$6) and "no touch" and (digital adj signal\$1 or bit adj level\$1)).CLM.	0	<u>L6</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L5</u> touch adj (screen or panel) same noise adj (reduction or elimination)	9	<u>L5</u>
<u>L4</u> touch adj (screen or panel) same coordinate\$1 same determination same noise near2 elimination	0	<u>L4</u>
<u>L3</u> touch adj (screen or panel) same coordinate\$1 same determination same noise adj reduction	0	<u>L3</u>
<u>L2</u> touch adj (screen or panel) same coordinate\$1 same determination	44	<u>L2</u>
<u>L1</u> touch adj (screen or panel or pad) same coordinate\$1	1760	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L26 and @py<=2001 <div style="float: right; text-align: center;"> <input type="button" value="↑"/> <input type="button" value="↓"/> </div>
Display:	<input type="text" value="20"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Wednesday, January 24, 2007
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side		
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L27</u> L26 and @py<=2001	7	<u>L27</u>
<u>L26</u> L22 and (digital adj (signal or reading) or bit adj lever adj signal)	36	<u>L26</u>
<u>L25</u> L24 and digital adj (signal or reading)	7	<u>L25</u>
<u>L24</u> l22 and @py<=2001	19	<u>L24</u>
<u>L23</u> L20 and ((ADC or "analog to digital convcereter" or analog/digital adj converer) adj (signal or reading))	1	<u>L23</u>
<u>L22</u> L20 and (ADC or "analog to digital" adj (signal or reading))	71	<u>L22</u>
<u>L21</u> L20 and "analog to digital" adj (signal or reading)	0	<u>L21</u>
<u>L20</u> L1 and determin\$6 same touch\$6	1888	<u>L20</u>
<u>L19</u> l1 and generat\$6 adj pixel adj coordinate\$1 same "no touch" adj detect\$6	0	<u>L19</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>		
<u>L18</u> l16 and detect\$6 adj "no touch"	11	<u>L18</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L17</u> l16 and detect\$6 adj "no touch" adj state	7	<u>L17</u>
<u>L16</u> touch adj (screen or panel) and "no touch"	431	<u>L16</u>

<u>L15</u>	l2 and "no adj touch" adj state	0	<u>L15</u>
<u>L14</u>	L13 and ((digital or touch) adj signal or bit adj level) same noise same (eliminat\$6 or reduct\$6)	1	<u>L14</u>
<u>L13</u>	l11 and @py<=2001 <i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	13	<u>L13</u>
<u>L12</u>	l11 and @py<=2001 <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	13	<u>L12</u>
<u>L11</u>	l2 and noise same (eliminat\$6 or reduct\$6)	35	<u>L11</u>
<u>L10</u>	L1 and (analog-to-digital adj converter or ADC) same (digital adj signal or bit adj level) and eliminat\$6 adj noise	7	<u>L10</u>
<u>L9</u>	L1 and (analog-to-digital adj converter or ADC) same (digital adj signal or bit adj level) same noise adj reduc\$6	0	<u>L9</u>
<u>L8</u>	L7 and @py<=2001	17	<u>L8</u>
<u>L7</u>	l5 and touch adj screen same touch\$6	49	<u>L7</u>
<u>L6</u>	L5 and maximum adj bit adj level	6	<u>L6</u>
<u>L5</u>	L2 and (determin\$6 or detect\$6) adj touch\$6	85	<u>L5</u>
<u>L4</u>	L2 and determin\$6 adj bit adj level	0	<u>L4</u>
<u>L3</u>	l2 and rading same (bit adj level or digital adj signal)	0	<u>L3</u>
<u>L2</u>	L1 and (ADC or analog near2 digital adj converter) same (reading or signal or digital adj signal)	242	<u>L2</u>
<u>L1</u>	touch adj (screen or pad or panel or touchpad) same touched	4133	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
PIXEL	318608
PIXELS	237657
"NO TOUCH"	0
GENERAT\$6	0
GENERAT	2784
GENERATA	7
GENERATABL	1
GENERATABLE	896
GENERATABLE]	2
GENERATAD	6
GENERATADR	1
(L1 AND GENERAT\$6 ADJ PIXEL ADJ COORDINATES\$1 SAME "NO TOUCH" ADJ DETECT\$6).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	0

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L19

[Refine Search](#)

[Recall Text](#)

[Clear](#)

[Interrupt](#)

Search History

DATE: Wednesday, January 24, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set Name
side by
Query

Hit Count **Set Name**

side		result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L19	l1 and generat\$6 adj pixel adj coordinate\$1 same "no touch" adj detect\$6	0 L19
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ		
L18	l16 and detect\$6 adj "no touch"	11 L18
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L17	l16 and detect\$6 adj "no touch" adj state	7 L17
L16	touch adj (screen or panel) and "no touch"	431 L16
L15	l2 and "no adj touch" adj state	0 L15
L14	L13 and ((digital or touch) adj signal or bit adj level) same noise same (eleiminat\$6 or reduct\$6)	1 L14
L13	l11 and @py<=2001	13 L13
DB=PGPB,USPT; PLUR=YES; OP=ADJ		
L12	l11 and @py<=2001	13 L12
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L11	l2 and noise same (eliminat\$6 or reduct\$6)	35 L11
L10	L1 and (analog-to-digital adj converter or ADC) same (digital adj signal or bit adj level) and eliminat\$6 adj noise	7 L10
L9	L1 and (analog-to-digital adj converter or ADC) same (digital adj signal or bit adj level) same noise adj reduc\$6	0 L9
L8	L7 and @py<=2001	17 L8
L7	l5 and touch adj screen same touch\$6	49 L7
L6	L5 and maximum adj bit adj level	6 L6
L5	L2 and (determin\$6 or detect\$6) adj touch\$6	85 L5
L4	L2 and determin\$6 adj bit adj level	0 L4
L3	l2 and rading same (bit adj level or digital adj signal)	0 L3
L2	L1 and (ADC or analog near2 digital adj converter) same (reading or signal or digital adj signal)	242 L2
L1	touch adj (screen or pad or panel or touchpad) same touched	4133 L1

END OF SEARCH HISTORY

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> ((ADC or analog/digital adj converter\$1 or "analog to digital adj converter\$1) and touch adj (screen\$1 or panel\$1 or pad\$1) and first adj </div>
Display:	<div style="border: 1px solid black; padding: 2px;"> 20 Documents in Display Format: TI Starting with Number 1 </div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Wednesday, January 24, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L5</u>	touch adj (screen or panel) same noise adj (reduction or elimination)	9	<u>L5</u>
<u>L4</u>	touch adj (screen or panel) same coordinate\$1 same determination same noise near2 elimination	0	<u>L4</u>
<u>L3</u>	touch adj (screen or panel) same coordinate\$1 same determination same noise adj reduction	0	<u>L3</u>
<u>L2</u>	touch adj (screen or panel) same coordinate\$1 same determination	44	<u>L2</u>
<u>L1</u>	touch adj (screen or panel or pad) same coordinate\$1	1760	<u>L1</u>

END OF SEARCH HISTORY